




- 68-69 · Projectors leds
- 70-74 · Projectors leds QP SeaMAID
 - 75 · 1 PAR56 lamp universal
 - 76 · Radio remote switches
 - 77 · Tradicional lighting
 - 78 · Marketing materials




Flat Led Projector



White lighting projector

In white ABS.
With 300W
With niche.




ud. caja	código artículo	código EAN	precio ud €
1	500390CB	8410189036554	356,525



Colour lighting projector

In white ABS
11 static colours and remote controller.
With niche.




ud. caja	código artículo	código EAN	precio ud €
1	500390CL	8410189036561	427,548



Lighting with remote controller

In white ABS
11 colours and remote controller.
Easy installation.



ud. caja	código artículo	código EAN	precio ud €
1	500383F	8410189036578	229,273

Concrete pools: Lighting

White lighting projector

In white ABS , equipped with lamp LED.

500387B. White lighting.

With rubber gaskets and screws



ud. caja	código artículo	código EAN	precio ud €
1	500392CB	8410189036585	384,388

Colour lighting projector

In white ABS , equipped with lamp LED.

LED 500387L. Colour, with remote controller.

With rubber gaskets and screws.



ud. caja	código artículo	código EAN	precio ud €
1	500392CL	8410189036592	461,417

Floating LED white light



ud. caja	código artículo	código EAN	precio ud €
1	500383	8410189031115	143,510



Leds Projectors

La Gama Leds QP SeaMAID

RADIO REMOTE SWITCHES

Radio management of the complete lighting installation of the pool and the garden. Exist in 1 and 4 channels versions.




NEW STAINLESS STEEL PROJECTOR

To use for a fountain or garden lighting. Exist in white and RVA.



LIGHTING KIT

Special complete kit for above ground pool. Exist in version with radio remote controlled.



NEW MINO PROJECTOR

To light spa, staircases or immersed beach. Exist in white.



FLAT PROJECTOR

Ideal for the main lighting of a vinyl liner swimming pool. Exist in white.



PAR56 LAMP

Universal replacing lamp for the main lighting of swimming pool. Iluminación principal. Exist in white and RVA.



Flat Led Projector

Flat Projector

Injection moulded polycarbonate and ABS component parts ensure shock and heat resistant properties. The light unit has a moulded 1.5 male threaded spigot making the installation simple requiring no specific tools. The light unit is simply screwed into a vacuum wall fitting by hand. The power supply cable goes through the wall inlet to junction box in a waterproof electric conduit.

	ud. caja	código artículo	código EAN	precio ud €
White lighting	1	500385B	8410189031139	358,576
Colour lighting, remote controller	1	500385BC	8410189031164	425,160


Recommendatio before installation:

These projectors for swimming pool must be connected to an isolating safety trasformer whith double winding whose powerin superior of at least 20% of the total power of the connected projectors. The vacuum fitting compatibility must be checked before defenitive installation. Certain types of fitting with a stop system in the scewing tube are not allowed.

The wall fitting will be connected to the junction box by a waterproof conduit.

Let enoughLet enough cable in the conduit to allow the replacement of the projector out of the water in a dryout of the water in a dry place.

At firts use,the remote controller provided has to be paired to the projector SEAFPLRGB.



TECHNICAL INFORMATION

DATA	SEAFPLWH	SEAFPLRGB
Color	Bianco 7000/8000°K	Multicolores RVA
Número de LED	270	270
Programas	1 Color fijo	11 colores fijos y 5 programas automáticos
Control	On/Off	On/Off + mando a distancia radio proporcionado
Flujos luminosos	1100 lumens ± 10%	400 lumens ± 10%
Alimentación	12VAC/ 50~60Hz	12VAC/ 50~60Hz
Potencia	14W ± 10%	18W ± 10%
Duración de vida de los LED*	> 30 000 H	> 30 000 H
Duración de vida del producto en utilización*	10 000 H	15 000 H
Clase energética		

Above Ground Pool Led Kit



Colour lighting with remote controller

To create coloured atmospheres in the pool, this projector offers 7 static colours and 3 automatic programs. A specific radio development assures a perfect link and synchronising between the lamp and the remote controller provided. Memory and reset functions. Provided parts: 230V/12VAC, plug transformer, cable 6 meters and outlet fitting adapter.

ud. caja	código artículo	código EAN	precio ud €
1	500381	8410189031122	307,670

Colour lighting with remote controller

Recomention before installation

Place the cable under the edge to prevent any tearing. At first use, the remote controller provided has to be paired to the projector. To make the pairing easily, connect the plug transformer in a socket supplied with an On/Off switch. The wall Transformer must be connected to an electrical plug respecting the safety regulations, connected to the ground and at a minimum distance of 3,50 meters from the pool.



TECHNICAL INFORMATION

DATA	SEAPHSRGB
Color	Multicolores RVA
Número de LED	180
Programas	7 colores fijos y 3 programas automáticos.
Control	On/Off + mando a distancia radio proporcionada
Flujos luminosos	280 lumens ± 10%
Alimentación	12V AC/ 50 – 60Hz
Potencia	12W ± 10%
Duración de vida de los LED*	> 30 000 H
Duración de vida del producto en utilización*	15 000 H
Clase energética	



Stainless Steel Led Projector

The Stainless Steel

Realized in good quality stainless steel, it has an excellent corrosion resistance for both outdoor and underwater installation.

NEW 2011





	ud. caja	código artículo	código EAN	precio ud €
White Led projector	1	500379LB	8410189034420	469,021
Colours Led projector	1	500379LC	8410189034437	495,245

Recommendation before installation

These projectors must be connected to an isolating safety transformer with double winding whose power is superior of at least 20% of the total power of the connected projectors. Power supply cable must be connected to the projector in a waterproof junction box. The Stainless Steel Led projectors SeaMAID works only under low voltage 12VAC. Never connect them to a higher voltage current.

TECHNICAL INFORMATION

DATA	SEAPIWH	SEAPIRGB2
Color	Blanco 7000/8000°K	Multicolores RVA
Número de LED	270	270
Programas	1 color fijo	11 colores fijos y 5 programas automáticos
Control	On/Off	On/Off
Flujos luminosos	1100 lumens ± 10%	400 lumens ± 10%
Alimentación	12VAC/ 50-60Hz	12VAC/ 50-60Hz
Potencia	14W ± 10%	18W ± 10%
Duración de vida de los LED*	> 30 000 H	> 30 000 H
Duración de vida del producto en utilización*	10 000 H	15 000 H
Clase energética		

Mini Led Projector

NEW 2011



Mini Projector


Projector was specially developed to illuminate specific zones of the pond such as immersed beaches, staircases, spas with overflowing, during the construction. Injection moulded polycarbonate and ABS component parts ensure shock and heat resistant properties. Also chemical resistant to water treatment products. The light unit has a moulded 1,5 male threaded spigot, making the installation simple requiring no specific tools. The light unit is simply screwed into a vacuum wall fitting by hand.

ud. caja	código artículo	código EAN	precio ud €
1	500377LB	8410189034406	166,766
1	500377LC	8410189034413	197,360

Recommendation before installation:

These projectors for swimming pool must be connected to an isolating safety transformer with double winding whose power is superior of at least 20% of the total power of the connected projectors.

The vacuum fitting compatibility must be checked before definitive installation. Certain types of fitting with a stop system in the screwing tube are not allowed. The wall fitting will be connected to the junction box by a waterproof conduit. Let enough cable in the conduit to allow the replacement of the projector out of the water in a dry place.



TECHNICAL INFORMATION

DATA	SEAMPLWH	SEAMPLRGB2
Color	Blanco 7000/8000°K	Multicolores RVA
Número de LED	30	36
Programas	1 color fijo	11 colores fijos y 5 programas automáticos
Control	On/Off	On/Off
Fujos luminosos	400 lumens ± 10%	130 lumens ± 10%
Alimentación	12VAC/ 50~60Hz	12VAC/ 50~60Hz
Potencia	4,5W ± 10%	5,5W ± 10%
Duración de vida de los LED*	> 30 000 H	> 30 000 H
Duración de vida del producto en utilización*	10 000 H	15 000 H
Clase energética		

Led Lamp

Universal PAR56 Led Lamp

Injection moulded polycarbonate component parts ensure shock, chemical and heat resistant properties. Two in-built moulded terminal connections offer resistance and secure voltage connection.

A specially developed for the aquatic lighting optics and welded by ultrasounds, allows excellent distribution of the light in the pool, both harmonious and not blinding for the swimmers.

The Led lighting source enables important saving for the pool owner and installation costs for the pool builder.

2 x 1,5 mm² cable connection to a 20VA protected toroidal transformer is all that is required to install a lamp.

White lighting: Ideal to replace any 300 watts incandescent bulb, this lamp provides a harmonious and not blinding light in a pond up to 10x5 meters dimensions.

Lighting with remote controller: to create coloured atmospheres in the pool, this lamp. A specific radio development assures a perfect link and synchronising between the lamp and the remote controller provided.



At first use, the remote controller has to be paired to the lamp or lamps group installed in the pool.



ud. caja	código artículo	código EAN	precio ud €
1	500387B	8410189030057	286,307
1	500387L	8410189028078	362,064

Led lamp white
Led lamp 11 colours with remote control

TECHNICAL INFORMATION

DATA	SEAPAR56WH	SEAPAR56RGB
Color	Bianco 7000/8000°K	Multicolores RVA
Número de LED	270	270
Programas	1 Color fijo	11 colores fijos y 5 programas automáticos
Control	On/Off	On/Off + mando a distancia radio proporcionado
Flujos luminosos	1100 lumens ± 10%	400 lumens ± 10%
Alimentación	12VAC/ 50-60Hz	12VAC/ 50-60Hz
Potencia	14W ± 10%	18W ± 10%
Duración de vida de los LED*	> 30 000 H	> 30 000 H
Duración de vida del producto en utilización*	10 000 H	15 000 H
Clase energética		

Radio Remote Switches



Available in 1 or 4 channels, the radio remote, switch Seamaid is the ideal complement to the lighting installation of the swimming pool. It can simply pilot a while lamp or manage a global lighting system. The electronic is settled in a wartproof strengthened ABS box for outside use IP65. It allows connecting up to 12 Seamaid projectors without modification of the electric installation. The radio code system assures a very good reach of the remote control.

According to his choice, the user can either synchronize all the preojectors (model 1 channel), or create different coloured atmospheres in his pond (model 4 channels).



Modulador foco led 1 canal
Modulador foco led 4 canales

ud. caja	código artículo	código EAN	precio ud €
1	500387LM	8410189034444	119,479
1	500387LM4	8410189034451	213,807

TECHNICAL INFORMATION

DATA	SEACOM1	SEACOM4
Número de Canales	1	4
Control	On/Off con mando radio 2 botones proporcionado	On/Off con mando radio 8 botones proporcionado
Amperaje entrada/salida	10A max	10A max / canal
Potencia	120W	240W
Protección	Fusible 20A	Fusible 20A
Consumo en modo parado	80 mA / canal	80 mA / canal
Temperaturas de funcionamiento	-40°C / + 70°C	-40°C / + 70°C
Condiciones de humedad	10% ÷ 90%	10% ÷ 90%
Conectores	Cable 4 mm ²	Cable 4 mm ²




Traditional projectors and lighting

Projector

In white ABS blanco, with 300 W. a 12 V. With niche.


ud. caja	código artículo	código EAN	precio caja €	precio Ud €
4	500390	8410189004485	456,612	114,153



Projecting pool-C

Made of ABS . Easy installation to pool walls.
Máx. bulb 100 W. a 12 V.

ud. caja	código artículo	código EAN	precio caja €
1	500386	8410189015108	102,093



Polyester and liner pools: Traditional projectors and lighting

Prefabricated pool lighting

White ABS , with rubber gaskets and screws.
300 W. a 12 V. bulb.

ud. caja	código artículo	código EAN	precio caja €	precio Ud €
4	500391	8410189004492	581,194	145,299



Superslim protector for lined

Made of ABS. Easy installation.
Máx. 100 W. 12 V.

ud. caja	código artículo	código EAN	precio caja €
1	500387	8410189025541	141,441



Light 300 W

ud. caja	código artículo	código EAN	precio caja € TARIFA INDUSTRIAL
1	510139	8410189036615	31,750



Accessories and common PVC equipment



Bulkhead fitting

Made ABS. Thread with nut and gasket.

ud. caja	código artículo	código EAN	precio caja €	precio Ud €
6	500232	8410189004478	68,922	11,487

Inner tubencolar a tubo 50 por



Pipe pasacables flexible

With male and female terminals and 1.5m long box.


ud. caja	código artículo	código EAN	precio caja €	precio Ud €
6	500388	8410189004539	39,546	6,591



Niche for light

For pool light


ud. caja	código artículo	código EAN	precio caja €
1	500397	8410189004522	31,989



Juntion box

ABS 3/4 male outlets, press and screw lid with screws and o-ring.

ud. caja	código artículo	código EAN	precio caja €	precio Ud €
6	500398	8410189004546	145,114	24,186



Protective drain covers

ud. caja	código artículo	código EAN	precio caja €
1	500396	8410189025534	4,379

