


**Dispensers of solid chlorine and bromine**



**Chlorine Dispenser. Model 40T and 60T**

Slow dissolve chlorine dispenser for 100 or 200g tablets.

**Technical Characteristics:** Polyester body reinforced with fiberglass. Holds up to 20 or 40kg of chlorine tablets according to the model. Purge valve.

Mod.	A	B
40T	350	800
60T	400	900

DO NOT USE WITH PRODUCTS THAT ARE NOT DESIGNED FOR TABLETS SLOW DISSOLVING CHLORINE, NEVER CALCIUM HYPERCHLORITE.


40 T - 150 - 400 m <sup>3</sup>
60 T - 400 - 1,100 m <sup>3</sup>

box QTY	article code	EAN code	box price €
1	<b>500052</b>	8410189003686	<b>567.939</b>
1	<b>500054</b>	8410189003693	<b>677.548</b>



Automatic pressure release safety valve

box QTY	article code	EAN code	box price € COMMERCIAL RATE
1	<b>510207</b>	8410189026951	<b>212.187</b>



**Chlorine Dispenser. Model 7 T**


Chlorine dispenser for slow dissolve tables of 100g and 200g.

Technical characteristics

- Body in ABS, antacid.
- Capacity of up to 7kg of tablets.
- Purge valve

7 T up to 150 m <sup>3</sup>
------------------------------

box QTY	article code	EAN code	box price €
1	<b>500059</b>	8410189003716	<b>193.725</b>



**Chlorine Dispenser. Model 4000**

Chlorine dispenser

Technical characteristics

- Body in ABS, antacid.
- Capacity of up to 4kg of tablets.
- Max operating pressure = 2 atmospheres.
- Automatic air purge can be added.
- Flow regulating valve.

7 T up to 150 m <sup>3</sup>
------------------------------

box QTY	article code	EAN code	box price €
1	<b>500060</b>	8410189003716	<b>332.021</b>

DO NOT USE WITH PRODUCTS THAT ARE NOT DESIGNED FOR SLOW DISSOLVE TABLETS.

## Chlorine and Bromine Dispenser

### Chlorine and Bromine Dispenser

- In line 4 Kg.
- Manufactured in ABS.
- Capacity of up to 1 kg.

To place in line 4 kg
To place In line 1 kg
To place Off Line (en by-pass) 1 kg

ud. caja	código artículo	código EAN	precio caja €
1	500060C	8410189009374	45,752
1	500060M	8410189025299	33,217
1	500065M	8410189025305	36,320



## Floating dispense / Protective mask / Dosege reservoirs

### Floating dispense with thermometer



ud. caja	código artículo	código EAN	precio caja €	precio ud €
12	500065T	8410189028245	125,148	10,429

### Cylindrical reservoirs

Standard manufacturing for chemical products. Equipped with airtight screw cap. Upper surface can support dosage pumps and agitators. Natural white color.



Capacity	Base	Part. al	Co. mpl	Screw lid.
100 L	474	600	648	100 to 200
230 L	579	1228	1298	100 to 200
580 L	793	1508	1578	100 to 200

	box QTY	article code	EAN code	box price € COMMERCIAL RATE
100 liter cylinder	1	500608	8410189007011	103.150
230 liter cylinder	1	500609	8410189007028	174.730
580 liter cylinder	1	500607	8410189012817	320.983

### Protective mask

Protects against harmful chlorine fumes and particles while handling chlorine tablets.



For handling chlorine

box QTY	article code	EAN code	box price €
1	500066	8410189003761	120.752

## Dosing pump

### Electromagnetic analogical dosing pump ME1-CA

- Analogical electromagnetic pump with manually adjustable flow rate.
- Easy installation and minimal maintenance.
- Manually adjustable flow rate through potentiometer (from 0 to 100%)
- FON / OFF function.
- Pump housing with manual draining system.
- PP box and pump housing reinforced with 30% talc
- IP 54 protection
- Safe and reliable
- Polycarbonate front panel.
- Wall installation.
- Power supply of 2,5 m.long
- Accessory Kit with ball valve and Hastelloy spring.
- Flow capacity 5 l/h.



ud. caja	código artículo	código EAN	precio caja € TARIFA INDUSTRIAL
1	500603	8410189034888	237,844

### Electromagnetic digital dosing pump ME1-C

- Constant digital electromagnetic pump
- Easy installation and minimal maintenance.
- Flow adjustment from 0 to 100%.
- ON/OFF function
- Stand-by button
- Status LED
- PP box reinforced with 30% de talc.
- IP 65 protection
- Safe and reliable
- Polycarbonate front panel.
- Standard pump fed at 230 V
- Accessory Kit ball valve and Hastelloy spring.
- Flow capacity up to 5 l/h.




ud. caja	código artículo	código EAN	precio caja € TARIFA INDUSTRIAL
1	500606	8410189034895	237,844


### Accessory Kit

- Wall - brackets.
- 2m PVC vacuum pipe
- 2 m PE tube drive
- PP Pyrex-OR Viton ball flush valve
- PP background filter.
- 1,5 m PVC draining pipe.

### Dimensions



### Optional Installation



## Automatic controllers

### Digital pump with integrated pH controller ME1S-pH

- Digital electromagnetic pump with integrated pH controller.
- pH. adjustment function - between 6.0.and.8.0.
- Real time pH display screen.
- Automatic calibration at a single point of pH (7.0)
- Probe efficiency automatic recognition.
- Software integrated program to control product ending and overdosage.
- Prepared for acid dosing..
- 2x7cm digital display screen and red LED alarm.
- 2 buttons for adjustment and calibration.
- PP box reinforced with 30% talc.
- IP 65. protection
- Polycarbonate front panel.
- Wall installation ( kit included)
- Power supply cable 2.5 m. long
- Accessory Kit with ball injection valve and Hastelloy spring.
- Flow capacity up to .5.l/h.



ud. caja	código artículo	código EAN	precio caja € TARIFA INDUSTRIAL
1	522046	8410189034918	376,733

### Bomba digital con controlador redox integrado ME1S-Rx

- Digital electromagnetic pump with integrated ORP controlled.
- Adjustment function - between 300mV y 800 mV.
- Real time Redox display screen
- Automatic calibration at a single Redox point(468mV)
- Probe efficiency automatic recognition.
- Software integrated. program to control product ending and averdosage.
- 2x7cm digital display screen and red LED alarm
- 2 buttons for adjustment and calibration
- PP box reinforced with..30%..talc.
- IP.65.
- .Polycarbonate front panel.
- Wall installation (.kit included)
- Power supply cable.2.5.m. long
- Accessory Kit. with ball injection valve and Hastelloy spring.
- Flow capacity up to .5.l/h




ud. caja	código artículo	código EAN	precio caja € TARIFA INDUSTRIAL
1	522047	8410189034925	376,733


#### Accessory kit

- Wall - brackets.
- 2m.PVC vaccum pipe
- 2.m.PE tube drive
- PP Pyrex-OR.Viton ball flush valve.
- PP background filter.
- 1,5.m..PVC draining pipe.

#### Dimensions



#### Optional Installation



## Automatic controllers

### Control panel for the Simple Blue pool water

- ABS thermoformed panel.
- Two electromagnetic pumps MEIS with pH/Rx control included.
- Digital display screen for value reading and programming.
- Easy to program and calibrate with only two buttons.
- T.A.L. security system incorporate to monitor status of product and probe.
- Probe holder with 50 micron filter.
- Control panel delivered ready
- To use with full accessory kit.



ud. caja	código artículo	código EAN	precio caja € TARIFA INDUSTRIAL
1	522071	8410189034932	1.015,444

### Control panel for the Pool Blue water


- ABS thermoformed panel.
- Two electromagnetic pumps. MEIS. with pH/Rx control included.
- Digital Display screen (3X7) for value reading and programming.
- Multi- professional programming system with several setting options.
- Probe holder with .50. micron filter.
- Control panel delivered ready.
- To use with full accessory kit.




ud. caja	código artículo	código EAN	precio caja € TARIFA INDUSTRIAL
1	522073	8410189034949	1.115,444

### Accessory kit

- 2 Injection valves.
- 2 2m long PE injection pipes.
- 2 2m PVC vacuum pipes.
- 2 PP background filters
- 2 Draining pipes.




### Dimensions



## 5i hca UHMMZbfcc`Yfg

7 cbfbc`dUby`ZcfDcc`Gj Yf dcc`k UHYf



- PVC panel with electric connections.
- ME1-pH electromagnetic pump with integrated pH controlled.
- Proportional electromagnetic pump ME1-mA (4-20mA)
- A professional MSB-CL controller.
- Chlorine amperometric probe with copper/ platinum electrodes and Pyrex ball.
- Digital display for value reading and programming.
- Incorporated T.A.L. security system (for the ME1-pH pump), to check status of the product and the probe
- pH electrode with Epoxy body.
- 50 micron filter to purify incoming water.
- Delivered ready to use with full accessory kit.

### Accessory Kit

- 2 Injection valves.
- 2 PE injection pipe 2m.
- 2 PVC vacuum pipes 2m.
- 2 PP background filters.
- 2 Draining pipest.



ud. caja	código artículo	código EAN	precio caja € TARIFA INDUSTRIAL
1	522075	8410189034956	3.061,622

## Automatics Controllers

### Digital Peristaltic Pump MP2SPEEDY-pH

- Digital peristaltic pump, with pH control.
- pH value viewing in real time.
- Two-digit display screen (7-segments) and alarm LED.
- Probe efficiency control.
- Standard dosagel (pH)
- Acid dosage.
- Automatic calibration in at single point of pH.
- Wall installation (kit included)
- Easy to istall and calibrate.
- IP65 protection.
- Safe and reliable.
- Polycarbonate front panel.
- PP box-reinforced with 30% de talc.
- Power supply cable 2.5 m
- Software integrated program to control alarm level and overdosage.
- Flow rate au to 1,5 l/h.




ud. caja	código artículo	código EAN	precio caja € TARIFA INDUSTRIAL
1	522061	8410189034963	306,422

### Digital Peristaltic Pump MP2SPEEDY-Rx

- Digital peristaltic pump with Redox controller
- Adjustable setting between 300 mV and 800 mV
- ORP value display in real-time.
- Two - digits display sceen, 7 segments LED alarm .
- Sound efficiency display.
- Prepared for chlorine disage.
- Automatic calibration at one single Redox point (468mV).
- Brackets for wall fixig included.
- Easy installation and calibration.
- IP65 protection
- Safe and reliable.
- Polycarbonate front panel.
- PP box reinforced with 30% talc.
- Power supply cable 2.5 m
- Sotware integrated program to control alarm level and overdosage.
- flow;Rate up to 3 l/h.



ud. caja	código artículo	código EAN	precio caja € TARIFA INDUSTRIAL
1	522063	8410189034970	306,422



## Automatic Controllers

### Speedy Family



- ABS thermoformed panel.
- Two ME1S-pH/Rx dosing pumps, with pH/Rx control included.
- Digital display screen for value reading and programming.
- Easy to program and calibrate through just two buttons and a digital screen.
- Incorporate T.A.L. security system to check status of the product and the probe.
- Probe holder with built-in filter.
- Internal tap for water sampling.
- Minimal maintenance required.
- Delivered ready to use with full accessory kit.
- pH flow rate 1,5 l/h.
- Redox flow rate 1,8 l/h.

ud. caja	código artículo	código EAN	precio caja € TARIFA INDUSTRIAL
1	522065	8410189034987	893,222

### Dimensions

